according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Vers 3.1	sion	Revision Date: 06/19/2024		0S Number: 843344-00004	Date of last issue: 05/03/2023 Date of first issue: 08/30/2022
SEC	TION 1	. IDENTIFICATION			
	Produc	et name	:	BRAKE AND PAP	RTS CLEANER, 18.9 L
	Produc	t code	:	890.108742	
	Other r	means of identification	:	No data available	
	Manuf	acturer or supplier's o	deta	iils	
	Compa	any name of supplier	:	Würth Canada Lir	nited
	Addres	S	:	345 Hanlon Creel GUELPH, ON N1	
	Teleph	one	:	+1 (905) 564 622	5
	Telefax	<	:	+1 (905) 564 367	1
	Emerg	ency telephone	:	CHEMTREC (24/ Transport related	olving a spill, fire, explosion or exposure: 7): 1-800-424-9300 emergencies: : 1-613-996-6666 or * 666 (cell)
				exposition: CHEMTREC (24/ Urgences liées au	ant un déversement, incendie, explosion ou 7): 1-800-424-9300 u transport: : 1-613-996-6666 ou * 666 (cellulaire)
	E-mail	address	:	prodsafe@wurth.	са
		nmended use of the c	hen	nical and restriction	ons on use
	Recom	imended use	:	Degreasing agent	t
	Restric	tions on use	:	Not applicable	

SECTION 2. HAZARDS IDENTIFICATION

Flammable liquids	:	Category 2
Skin irritation	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3
Aspiration hazard	:	Category 1

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Version 3.1	Revision Date: 06/19/2024	SDS Number: 10843344-00004	Date of last issue: 05/03/2023 Date of first issue: 08/30/2022
	label elements rd pictograms		
Signa	ll Word	: Danger	
Haza	rd Statements	H304 May be fa H315 Causes s	mmable liquid and vapor. atal if swallowed and enters airways. kin irritation. e drowsiness or dizziness.
	autionary Statements	and other ignitic P233 Keep cont P240 Ground at P241 Use explo equipment. P242 Use non-s P243 Take actio P261 Avoid brea P264 Wash skir P271 Use only o	on to prevent static discharges. athing mist or vapors. n thoroughly after handling. outdoors or in a well-ventilated area. tective gloves, protective clothing, eye protectio
		CENTER. P303 + P361 + all contaminated P304 + P340 + and keep comfo unwell. P331 Do NOT in P332 + P313 If P362 + P364 Ta reuse. P370 + P378 In	SWALLOWED: Immediately call a POISON P353 IF ON SKIN (or hair): Take off immediate d clothing. Rinse skin with water. P312 IF INHALED: Remove person to fresh air ortable for breathing. Call a doctor if you feel nduce vomiting. skin irritation occurs: Get medical attention. ake off contaminated clothing and wash it befor case of fire: Use water spray, alcohol-resistant ical or carbon dioxide to extinguish.
		Storage: P403 + P235 St P405 Store lock Disposal:	tore in a well-ventilated place. Keep cool.

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 05/03/2023
3.1	06/19/2024	10843344-00004	Date of first issue: 08/30/2022

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics,
CAS-No.	:	64742-49-0
Common Name/Synonym	:	Heptane, branched, cyclic and linear

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		
Hydrocarbons, C7, n-	Heptane,	64742-49-0	
alkanes, isoalkanes,	branched, cyclic		>= 80 - <= 100 *
cyclics,	and linear		

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control center immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Version 3.1	Revision Date: 06/19/2024		DS Number: 843344-00004	Date of last issue: 05/03/2023 Date of first issue: 08/30/2022
			when the potentia	al for exposure exists (see section 8).
Note	s to physician	:	Treat symptomati	cally and supportively.
SECTION	5. FIRE-FIGHTING ME	ASL	JRES	
Suita	ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
Unsu medi	iitable extinguishing a	:	High volume wate	er jet
Spec fighti	ific hazards during fire ng	:	fire. Flash back possit Vapors may form	d water stream as it may scatter and spread ble over considerable distance. explosive mixtures with air. bustion products may be a hazard to health.
Haza ucts	ardous combustion prod-	:	Carbon oxides	
Spec ods	ific extinguishing meth-	:	cumstances and to Use water spray to	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do
	ial protective equipment e-fighters	:		e, wear self-contained breathing apparatus. tective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material.

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 05/03/2023
3.1	06/19/2024	10843344-00004	Date of first issue: 08/30/2022
		jet. For large spills, ment to keep ma pumped, store r Clean up remain bent. Local or nationa sal of this mater ployed in the cle which regulation Sections 13 and	k down) gases/vapors/mists with a water spray provide diking or other appropriate contain- aterial from spreading. If diked material can be ecovered material in appropriate container. hing materials from spill with suitable absor- l regulations may apply to releases and dispo- ial, as well as those materials and items em- eanup of releases. You will need to determine as are applicable. I 15 of this SDS provide information regarding hational requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	Ground and bond container and receiving equipment. See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip- ment.
Advice on safe handling	:	Do not get on skin or clothing. Avoid breathing mist or vapors. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Flammable solids

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 05/03/2023
3.1	06/19/2024	10843344-00004	Date of first issue: 08/30/2022
		Substances and flammable gase Explosives Gases	ls ostances and mixtures I mixtures which in contact with water emit

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics,	64742-49-0	TWA	400 ppm	CA BC OEL
		STEL	500 ppm	CA BC OEL
		TWA	400 ppm 1,640 mg/m ³	CA AB OEL
		STEL	500 ppm 2,050 mg/m ³	CA AB OEL
		TWAEV (Mist - Inhalable dust)	5 mg/m³	CA QC OEL
		TWÁ	400 ppm	ACGIH
		STEL	500 ppm	ACGIH

Ingredients with workplace control parameters

Engineering measures	:	Minimize workplace exposure concentrations. If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting
		equipment.

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the re- commended guidelines, use respiratory protection.
Filter type	:	Combined particulates and organic vapor type
Hand protection Material	:	Chemical-resistant gloves
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to che- micals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Version 3.1	Revision Date: 06/19/2024	SDS Number: 10843344-00004	Date of last issue: 05/03/2023 Date of first issue: 08/30/2022
		workday. Brea duct. Change (kthrough time is not determined for the pro- gloves often!
Eye	protection	: Wear the follow Safety glasses	ving personal protective equipment:
Skin	and body protection	resistance data potential. Wear the follow If assessment atmospheres c protective cloth Skin contact m	iate protective clothing based on chemical a and an assessment of the local exposure ving personal protective equipment: demonstrates that there is a risk of explosive or flash fires, use flame retardant antistatic hing. ust be avoided by using impervious protective s, aprons, boots, etc).
Hygi	ene measures	eye flushing sy king place. When using do	chemical is likely during typical use, provide rstems and safety showers close to the wor- o not eat, drink or smoke. nated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	clear
Odor	:	hydrocarbon-like
Odor Threshold	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	94 - 99 °C
Flash point	:	-9 °C
		Method: ASTM D 56
Evaporation rate	:	5 (Butyl Acetate=1.0)
Flammability (solid, gas)	:	Not applicable

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Vers 3.1	sion	Revision Date: 06/19/2024		S Number: 343344-00004	Date of last issue: 05/03/2023 Date of first issue: 08/30/2022
	Flammability (liquids)		:	Ignitable (see flas	sh point)
		explosion limit / Upper bility limit	:	7.0 %(V)	
		explosion limit / Lower bility limit	:	1.1 %(V)	
	Vapor p	pressure	:	No data available	
	Relative	e vapor density	:	3.5 (101 kPa) (Air = 1.0)	
	Relative	e density	:	No data available	
	Density	/	:	0.680 - 0.720 g/c	m ³
	Solubili Wat	ty(ies) er solubility	:	negligible	
	Partitio octanol	n coefficient: n- /water	:	No data available	
	Autoigr	nition temperature	:	265 °C	
	Decom	position temperature	:	No data available	
	Viscosi Visc	ty cosity, kinematic	:	0.6 mm²/s (20 °C	\$)
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.
	Particle Particle	e characteristics e size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Highly flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

ersion 1	Revision Date: 06/19/2024	SDS Number: 10843344-00004	Date of last issue: 05/03/2023 Date of first issue: 08/30/2022
Hazar produ	dous decomposition	: No hazardous	s decomposition products are known.
ECTION	11. TOXICOLOGICAL	INFORMATION	
Inhala Skin o Ingest	contact	es of exposure	
	e toxicity assified based on avai	lable information.	
Produ	ict:		
	inhalation toxicity	: Acute toxicity Exposure time Test atmosphe Method: Calcu	ere: vapor
Comp	oonents:		
Hydro	ocarbons, C7, n-alkar	nes, isoalkanes, cyc	lics,:
Acute	oral toxicity	: LD50 (Rat): > Remarks: Bas	5,840 mg/kg ed on data from similar materials
Acute	inhalation toxicity	: LC50 (Rat): > Exposure time Test atmosphe Remarks: Bas	:: 4 h
Acute	dermal toxicity	toxicity	2,800 mg/kg The substance or mixture has no acute derma ed on data from similar materials
Skin	corrosion/irritation		
Cause	es skin irritation.		
<u>Comp</u>	oonents:		
Hydro	ocarbons, C7, n-alkar	nes, isoalkanes, cyc	lics,:
Speci Resul Rema	t	: Rabbit : Skin irritation : Based on data	from similar materials
Serio	us eye damage/eye ir	ritation	

Components:

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics,: Species : Rabbit

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Version 3.1	Revision Date: 06/19/2024	SDS Number: 10843344-00004	Date of last issue: 05/03/2023 Date of first issue: 08/30/2022
Resul Rema	-	: No eye irritatio : Based on data	n from similar materials
Respiratory or skin sensitization			
Skin sensitization Not classified based on available information.			
Respiratory sensitization Not classified based on available information.			
Comp	oonents:		

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics,:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics,:

Genotoxicity in vitro :		Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
		Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics,:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study
	Species: Rat
	Application Route: inhalation (vapor)
	Result: negative
	Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Versior 3.1	n Revision Date: 06/19/2024	-	DS Number: 843344-00004	Date of last issue: 05/03/2023 Date of first issue: 08/30/2022
Eff	fects on fetal development	:	Species: Rat Application Route Result: negative	y/early embryonic development :: inhalation (vapor) on data from similar materials
ST	OT-single exposure			
Ma	ay cause drowsiness or dizz	zine	SS.	
<u>Cc</u>	omponents:			
Ну	drocarbons, C7, n-alkane	es, i	soalkanes, cyclic	s,:
As	sessment	:	May cause drows	iness or dizziness.
No	OT-repeated exposure ot classified based on availa epeated dose toxicity	ble	information.	
<u>Cc</u>	omponents:			
Ну	drocarbons, C7, n-alkane	es, i	soalkanes, cyclic	s,:
NC Ap Ex	ecies DAEL pplication Route posure time emarks		Rat 12.47 mg/l Inhalation 90 Days Based on data fro	om similar materials
	spiration toxicity ay be fatal if swallowed and	ent	ers airways.	
<u>Cc</u>	omponents:			
Th	vdrocarbons, C7, n-alkane le substance or mixture is k rded as if it causes a huma	nov	vn to cause human	aspiration toxicity hazards or has to be re-
SECTIO	ON 12. ECOLOGICAL INFO	ORI	MATION	
Ec	otoxicity			

Components:

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics,:

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): > 13.4 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 3 mg/l Exposure time: 48 h

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Ver 3.1	sion	Revision Date: 06/19/2024		OS Number: 843344-00004	Date of last issue: 05/03/2023 Date of first issue: 08/30/2022
				Method: OECD T	Vater Accommodated Fraction est Guideline 202 on data from similar materials
	Toxicity plants	/ to algae/aquatic	:	mg/l Exposure time: 72 Test substance: V Method: OECD T	Vater Accommodated Fraction
				Exposure time: 72 Test substance: V Method: OECD T	Vater Accommodated Fraction
		/ to daphnia and other invertebrates (Chron- ity)	:	Exposure time: 2 Test substance: V Method: OECD T	Vater Accommodated Fraction
	Persist	tence and degradabili	ity		
	Compo	onents:			
	-	carbons, C7, n-alkane radability	s, i :	Result: Readily bi Method: OECD T	
	Bioaco	umulative potential			
	Compo	onents:			
	Hydrod	carbons, C7, n-alkane	s, i		5,:
	Partitio octanol	n coefficient: n- /water	:	log Pow: > 4 Remarks: Based	on data from similar materials
		r y in soil a available			
		a dverse effects a available			
SEC	CTION 1	3. DISPOSAL CONSI	DER	ATIONS	
	•	al methods from residues	:	Do not dispose of	waste into sewer.

Dispose of in accordance with local regulations.

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 05/03/2023
3.1	06/19/2024	10843344-00004	Date of first issue: 08/30/2022
Conta	aminated packaging	handling site for Empty contained Do not pressuriz pose such conta of ignition. They	rs should be taken to an approved waste recycling or disposal. rs retain residue and can be dangerous. ze, cut, weld, braze, solder, drill, grind, or ex- ainers to heat, flame, sparks, or other sources may explode and cause injury and/or death. specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels Environmentally hazardous	 UN 1206 HEPTANES 3 II 3 no
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	 UN 1206 Heptanes 3 II Flammable Liquids 364 353
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	 UN 1206 HEPTANES (Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics,) 3 II 3 F-E, <u>S-D</u> yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG UN number Proper shipping name		UN 1206 HEPTANES
Class Packing group Labels ERG Code	:	3 II 3 128

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 05/03/2023
3.1	06/19/2024	10843344-00004	Date of first issue: 08/30/2022

Marine pollutant : yes(Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics,)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Volatile organic compounds	CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 -
(VOC) content	Guidelines for VOC in Consumer Products
	VOC content: 100 %

The ingredients of this product are reported in the following inventories:

DSL	:	All chemical substances in this product comply with the CEPA
		1999 and NSNR and are on or exempt from listing on the
		Canadian Domestic Substances List (DSL).

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH CA AB OEL		USA. ACGIH Threshold Limit Values (TLV) Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL CA QC OEL		Canada. British Columbia OEL Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air-
ACGIH / TWA ACGIH / STEL CA AB OEL / TWA CA AB OEL / STEL CA BC OEL / TWA CA BC OEL / STEL CA QC OEL / TWAEV	:	borne contaminants 8-hour, time-weighted average Short-term exposure limit 8-hour Occupational exposure limit 15-minute occupational exposure limit 8-hour time weighted average short-term exposure limit Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-

according to the Hazardous Products Regulations



BRAKE AND PARTS CLEANER, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 05/03/2023
3.1	06/19/2024	10843344-00004	Date of first issue: 08/30/2022

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date Date format	:	06/19/2024 mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8